Lista de Partes SHARP 20LG30/20LG60

PICTURE TUBE

Ref. No.	Part No.	★	Description	Code
⚠V101	VB48KTT61X/*S	J	Picture Tube	CC
⚠L702	RCiLG0038PEZZ	R	Degaussing Coil	AU
⚠DY601	RCiLH0068PEZZ	R	Deflection Yoke	BC

PRINTED WIRING BOARD ASSEMBLIES
(NOT REPLACEMENT ITEM)

PWB-A	DUNTK8490WEV3	-	Main Unit (20LG30)	—
PWB-A	DUNTK8490WEV4	-	Main Unit (20LG60)	—
PWB-B	DUNTK8511WEV2	-	CRT Unit	—
PWB-E	DUNTK8491WEV3	-	A/V Unit (20LG30)	—
PWB-E	DUNTK8491WEV4	-	A/V Unit (20LG60)	—

DUNTK8490WEV3/V4
MAIN UNIT

TUNER

NOTE: ***THE PARTS HERE SHOWN ARE SUPPLIED AS AN ASSEMBLY BUT NOT INDEPENDENTLY.***

⚠TU101	VTUVTSH6UZFC/	J	Tuner	BF

INTEGRATED CIRCUITS

⚠IC201	RH-iX2429CEZZ	J	TA1201N	BB
IC301	VHiTDA7056A-1	J	TDA7056A (20LG60)	AP
IC302	VHiTDA7056A-1	J	TDA7056A	AP
⚠IC501	RH-iX1011CEZZ	J	TA8403K	AG
⚠IC751	RH-iX1791CEZZ	J	STK73907	AV
⚠IC752	VHiSE120N//-1	J	SE120N	AG
⚠IC791	VHiTA7809S/-1	J	TA7809S	AE
IC2001	RH-iX2428CEN1	J	M37264M4-574SP	AZ
IC2701	VHiKIA7045P-1	J	KIA7045P	AD
IC2702	RH-iX2447CEN1	J	ST24C01CB1	AL

TRANSISTORS

You can substitute for "VS2SC945AQ/-1" for "VS2SC2815YW-1"

Q201	VS2SC1906//1E	J	2SC1906	AC
Q302	VS2SC2002-K1A	J	2SC2002	AC
Q303	VS2SA1013//1E	J	2SA1013	AD
Q752	VS2SA1013//1E	J	2SA1013	AD
Q352	VS2SC1815Y//-1	J	2SC1815(Y)	AB
Q401	VS2SA1015Y/1E	J	2SA1015(Y)	AC
Q403	VS2SA1015Y/1E	J	2SA1015(Y)	AC
Q754	VS2SA1015Y/1E	J	2SA1015(Y)	AC
Q402	VS2SC945AQ/-1	J	2SC945A(Q)	AB
Q405	VS2SC945AQ/-1	J	2SC945A(Q)	AB
Q451	VS2SC945AQ/-1	J	2SC945A(Q)	AB
Q722	VS2SC945AQ/-1	J	2SC945A(Q)	AB
Q601	VS2SC2482//-1	J	2SC2482	AD
⚠Q602	VS2SD2095//1E	J	2SD2095	AN
Q751	VS2SC2023-/2E	J	2SC2023	AK
Q753	VS2SC2229O/-1	J	S2SC2229(O) (20LG30)	AE
Q301	VS2SC945AQ/-1	J	2SC945A(Q)(20LG60)	AB
Q351	VS2SC1815Y/-1	J	2SC1815(Y) (20LG60)	AB
Q753	VS2SC2383//1E	J	2SC2383 (20LG60)	AD
Q755	VS2SA1013//1E	J	2SA1013 (20LG60)	AD

DIODES

You can substitute for "RH-DX0446CEZZ" for "VHD1SS119//-1"

D101	RH-EX0701GEZZ	J	Zener Diode,32V	AB
D102	RH-EX0294CEZZ	J	Zener Diode,5.1V	AA
D2101	RH-EX0294CEZZ	J	Zener Diode,5.1V	AA
D2701	RH-EX0294CEZZ	J	Zener Diode,5.1V	AA
D302	RH-DX0110CEZZ	J	Diode	AB
D501	RH-DX0110CEZZ	J	Diode	AB
D303	RH-EX0193CEZZ	J	Zener Diode,11V	AC
D401	RH-EX0280CEZZ	J	Zener Diode,3V	AA
D451	RH-EX0103CEZZ	J	Zener Diode,5.6V	AB
D453	VHD1SS119//-1	J	1SS119	AB
D454	VHD1SS119//-1	J	1SS119	AB
⚠D651	VHD1SS119//-1	J	1SS119	AB
⚠D654	VHD1SS119//-1	J	1SS119	AB
D758	VHD1SS119//-1	J	1SS119	AB
D761	VHD1SS119//-1	J	1SS119	AB
D2103	VHD1SS119//-1	J	1SS119	AB
D2110	VHD1SS119//-1	J	1SS119	AB
D455	RH-EX0092CEZZ	J	Zener Diode,3.9V	AB
⚠D502	RH-DX0131CEZZ	J	Diode	AC
⚠D791	RH-DX0131CEZZ	J	Diode	AC
D602	RH-EX0312CEZZ	J	Zener Diode,9.1V	AA
⚠D652	RH-EX0091CEZZ	J	Zener Diode,22V	AB
D653	RH-EX0313CEZZ	J	Zener Diode,9.1V	AA
⚠D751	RH-DX0055TAZZ	J	Diode	AD
⚠D752	RH-DX0055TAZZ	J	Diode	AD
⚠D753	RH-DX0055TAZZ	J	Diode	AD
⚠D754	RH-DX0055TAZZ	J	Diode	AD
D755	RH-DX0164CEZZ	J	Diode	AC
⚠D756	RH-DX0368CEZZ	J	Diode	AE
⚠D757	RH-EX0152CEZZ	J	Zener Diode,135V	AE
⚠D760	RH-DX0364CEZZ	J	Diode	AC
⚠D792	RH-DX0382CEZZ	J	Diode	AD
⚠IC752	RH-FX0018CEZZ	J	TLP621	AD
⚠VA701	RH-VX0033CEZZ	J	Varistor	AD

PACKAGED CIRCUITS

⚠PR751	RMPTP0061CEZZ	J	Positive Coefficient Thermistor	AV
X901	RCRS80001PEZZ	R	Crystal	AL
F8753	RBLN-0037CEZZ	J	Ferrite Bead	AB

FILTERS

CF301	RFiLC0029TAZZ	J	Filter	AD
CF302	RFiLC0267CEZZ	J	Sound Take-off	AD
CF401	RFiLC0013CEZZ	J	4.5MHz	AE
CF601	RFiLA0034CEZZ	J	503kHz	AD
CF2101	RFiLC0121GEZZ	J	Filter	AD
CF2102	RFiLC0327CEZZ	J	Filter	AF
SF201	RFiLC0137CEZZ	J	Surface Acoustic Wave Filter	AH

COILS

L203	VP-XFR82K0000	J	0.82μH	AB
L204	VP-XFR68K0000	J	0.68μH	AB
L205	RCiLP0094CEZZ	J	Coil	AB
L207	RCiLP0094CEZZ	J	Coil	AB
L206	RCiLi0588CEZZ	J	IF Coil	AF
L301	RCiLi0591CEZZ	J	IF Coil	AF
L401	VP-MK120K0000	J	12μH	AB
L402	VP-MK100K0000	J	10μH	AB
L403	VP-MK100K0000	J	10μH	AB
L404	VP-MK6R8K0000	J	6.8μH	AB
L405	VP-OF8R2K0000	J	8.2μH	AD
L406	VP-MK680K0000	J	68μH	AB
L407	VP-MK680K0000	J	68μH	AB
⚠L701	RCiLF0235CEZZ	J	Coil	AK
L753	RCiLP0106CEZZ	J	Coil	AE

TRANSFORMERS

T601	RTRNZ0367CEZZ	J	H-Driver	AK
⚠T602	RTRNF0058PEZZ	R	H-Output	BH
⚠T751	RTRNZ0551CEZZ	J	Convertor (20GL30)	AY
⚠T751	RTRNZ0610CEZZ	J	Convertor (20GL60)	BC

CAPACITORS

C101	VCEAGA1HW225M	J	2.2	50V	EL.	AB
C301	VCEAGA1HW225M	J	2.2	50V	EL. (20LG30)	AB
C502	VCEAGA1HW225M	J	2.2	50V	EL.	AB
C516	VCEAGA1HW225M	J	2.2	50V	EL.	AB
C102	VCEAGA1CW108M	J	1000	16V	EL.	AD
C775	VCEAGA1CW10BM	J	1000	16V	EL.	AD
C103	VCEAGA1CW476M	J	47	16V	EL.	AB
C104	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C204	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C206	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C210	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C213	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C306	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C415	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C416	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C2103	VCKYMN1CY103N	J	0.01	16V	Ceramic	AA
C105	VCSATA1CE226K	J	22	16V	Tantalum	AD
C201	VCKYMN1HB102K	J	1000p	50V	Ceramic	AA
C205	VCKYMN1HB102K	J	1000p	50V	Ceramic	AA
C305	VCKYMN1HB102K	J	1000p	50V	Ceramic	AA
C2106	VCKYMN1HB102K	J	1000p	50V	Ceramic	AA
C207	VCEAGA1HW474T	J	0.47	50V	EL.	AA
C211	VCEAGA1HW474T	J	0.47	50V	EL.	AA
C802	VCEAGA1HW474T	J	0.47	50V	EL.	AA
C209	VCEAGA1CW227M	J	220	16V	EL.	AC
C214	VCEAGA1CW227M	J	220	16V	EL.	AC
C414	VCEAGA1CW227M	J	220	16V	EL.	AC
C212	VCKYMN1CX222M	J	2200p	16V	Ceramic	AA
C302	VCQYTA1HM472K	J	4700p (20LG30)	50V	Mylar	AB
C302	VCCSPA1HL270J	J	27p (20LG30)	50V	Ceramic	AA
C314	VCQYTA1HM332K	J	3300p (20LG30)	50V	Mylar	AB
C314	VCKYPA1HB821K	J	820p (20LG60)	50V	Ceramic	AA
C303	VCE9GA1CW106M	J	10	16V	EL.,(N.P)	AB
C313	VCEAGA1CW477M	J	470	16V	EL.	AC
C792	VCEAGA1CW477M	J	470	16V	EL.	AC
C315	VCFYHA1HA154J	J	0.15 (20LG30)	50V	Mylar	AB
C315	VCQYTA1HM104K	J	0.15 (20LG60)	50V	Mylar	AC
C316	VCQYTA1HM104K	J	0.1 (20LG60)	50V	Mylar	AC
C365	VCEAGA0JW226M	J	22	6.3V	EL.	AA
C366	VCCSD41HL330J	J	33p	50V	Ceramic	AA
C760	VCCSD41HL330J	J	33p	50V	Ceramic	AA
C401	VCKYMN1HB101K	J	100p	50V	Ceramic	AA
C402	VCKYMN1HB101K	J	100p	50V	Ceramic	AA
C2107	VCKYMN1HB101K	J	100p	50V	Ceramic	AA
C2108	VCKYMN1HB101K	J	100p	50V	Ceramic	AA
C403	VCEAGA1HW105M	J	1.0	50V	EL.	AC
C410	VCEAGA1HW105M	J	1.0	50V	EL.	AC
C602	VCEAGA1HW105M	J	1.0	50V	EL.	AC
C2701	VCEAGA1HW105M	J	1.0	50V	EL.	AC
C404	VCEAGA1HW335M	J	3.3	50V	EL.	AB
C405	VCEAGA1HW335M	J	3.3	50V	EL.	AB
C304	VCE9GA1CW106M	J	10	16V	EL. (20LG60)	AB
C308	VCSATA1CE106K	J	10 (20LG60)	16V	Tantalum	AD
C311	VCEAGA1CW477M	J	470	16V	EL. ((20LG60)	AC
C312	VCKYPA1HB821K	J	820p (20LG60)	50V	Ceramic	AA
C367	VCQYTA1HM104K	J	0.1 (20LG60)	50V	Mylar	AC
C369	VCEAGA1CW106M	J	10 (20LG60)	10V	EL.	AA
C406	VCE9GA1HW105M	J	1.0	50V	EL.,(N.P)	AB
C412	VCQYTA1HM104J	J	0.1	50V	Mylar	AA
C368	VCQYTA1HM104J	J	0.1	50V	Mylar (20LG60)	AA
C779	VCQYTA1HM104J	J	0.1	50V	Mylar	AA
C2101	VCQYTA1HM104J	J	0.1	50V	Mylar	AA
C2105	VCQYTA1HM104J	J	0.1	50V	Mylar	AA
C413	VCEAGA1HW106M	J	10	50V	EL.	AC
C418	VCCSPA1HL151K	J	150p	50V	Ceramic	AA
C419	VCCSMN1HL330J	J	33p	50V	Ceramic	AA
C420	VCCSMN1HL270J	J	27p	50V	Ceramic	AA
C421	VCCCMN1HH180J	J	18p	50V	Ceramic	AA
C422	VCSATA1CE106K	J	10	16V	Tantalum	AD
C424	VCSATA1CE106K	J	10	16V	Tantalum	AD
C452	VCQYTA1HM563K	J	0.056	50V	Mylar	AB
C453	VCEAGA1CW226M	J	22	16V	EL.	AB
C603	VCEAGA1CW226M	J	22	16V	EL.	AB
C501	VCSATA1CE225K	J	2.2	16V	Tantalum	AB
C503	VCFYHA1HA564J	J	0.56	50V		AD
C504	VCKYPA2HB391K	J	390p	500V	Ceramic	AA
C505	VCQYTA1HM473K	J	0.047	50V	Mylar	AB
C507	VCQYTA1HM103K	J	0.01	50V	Mylar	AB
C601	VCQYTA1HM103K	J	0.01	50V	Mylar	AB
C508	VCEAGA1VW107M	J	100	35V	EL.	AC
C510	VCQYTA1HM473J	J	0.047	50V	Mylar	AA
C512	VCEACA1HC225M	J	2.2	50V	EL.	AC
C513	VCEAGA1EW108M	J	1000	25V	EL.	AD
C514	VCEAGA1VW477M	J	470	35V	EL.	AD
C515	VCKYPA2HB102K	J	1000p	500V	Ceramic	AA
C612	VCKYPA2HB102K	J	1000p	500V	Ceramic	AA
C651	VCKYPA2HB102K	J	1000p	500V	Ceramic	AA
C774	VCKYPA2HB102K	J	1000p	500V	Ceramic	AA
C796	VCKYPA2HB102K	J	1000p	500V	Ceramic	AA
C604	VCKYPA1HB102K	J	1000p	50V	Ceramic	AA
⚠C605	RC-KZ0339CEZZ	J				AD
⚠C606	VCFPPD3CA472J	J	4700p Metal. Poly. Film	1600V		AD
⚠C607	VCFPPD3CA362J	J	3600p Metal. Poly. Film	1600V		AD
C608	VCFPPD2DB564J	J	0.56 Poly. Film	200V	Metal.	AF
C609	VCKYPA2HB222K	J	2200p	500V	Ceramic	AA
C611	VCCSPA2HL180K	J	18p	500V	Ceramic	AA
C652	VCEAGA1HW475M	J	4.7	50V	EL.	AB
C2117	VCEAGA1HW475M	J	4.7	50V	EL.	AB
C653	VCEAGA1CW106M	J	10	16V	EL.	AA
C795	VCEAGA1CW106M	J	10	16V	EL.	AA
C2704	VCEAGA1CW106M	J	10	16V	EL.	AA
C654	VCCSPA2HL820K	J	82p	500V	Ceramic	AA
⚠C701	RC-FZ012SGEZZ	J	0.22 AC250V		Plastic	AE
⚠C712	RC-EZ0378CEZZ	J	100	160V	EL.	AG
C725	VCKYPA2HB152K	J	1500p	500V	Ceramic	AA
C753	RC-KZ0029CEZZ	J	0.01 AC250V		Ceramic	AC
C754	RC-KZ0029CEZZ	J	0.01 AC250V		Ceramic	AC
C755	RC-KZ0029CEZZ	J	0.01 AC250V		Ceramic	AC
C756	RC-KZ0029CEZZ	J	0.01 AC250V		Ceramic	AC
C778	RC-KZ0029CEZZ	J	0.01 AC250V		Ceramic	AC
⚠C757	RC-EZ0290CEZZ	J	370	400V	EL.	AU
C758	VCKYPA1HB68K	J	680p	50V	Ceramic	AA
C759	VCKYPA1HB392K	J	3900p	50V	Ceramic	AB
C761	VCFYHA1HA473J	J	0.047	50V	Mylar	AB
C762	VCCSD41HL220J	J	22p	50V	Ceramic	AA
C763	VCQPSB2JA223K	J	0.022	630V	Polypro	AB
C764	RC-KZ0024CEZZ	J	0.001	2kV	Ceramic	AC
C767	RC-KZ0024CEZZ	J	0.001	2kV	Ceramic	AC
C769	RC-KZ0024CEZZ	J	0.001	2kV	Ceramic	AC
C765	RC-KZ003BCEZZ	J	470p	2kV	Ceramic	AB
⚠C766	RC-KZ012BCEZZ	J	0.002	4kV	Ceramic	AD
⚠C768	VCEAGW2CW277M	J	270	160V	EL.	AL
⚠C776	RC-EZ0306CEZZ	J	270	160V	EL.	AH
C791	VCEAGA2EW106M	J	10	250V	EL.	AC
C794	VCEAGA1CW337M	J	330	16V	EL.	AC
C801	VCQYTA1HM223J	J	0.022	50V	Mylar	AA
C803	VCCCMN1HH120J	J	12p	50V	Ceramic	AA
C805	VCEAGA1HW104M	J	0.1	50V	EL.	AA
C806	VCEAGA1HW104M	J	0.1	50V	EL.	AA
C807	VCEAGA1HW104M	J	0.1	50V	EL.	AA
C2102	VCKYD41CY103N	J	0.01	16V	Ceramic	AA
C2104	VCKYMN1HB221K	J	220p	50V	Ceramic	AA
C2109	VCKYMN1HB471K	J	470p	50V	Ceramic	AA
C2110	VCKYMN1HB471K	J	470p	50V	Ceramic	AA
C2111	VCKYMN1HB471K	J	470p	50V	Ceramic	AA
C2112	VCKYMN1HB471K	J	470p	50V	Ceramic	AA
C2702	VCEAGA1AW107M	J	100	10V	EL.	AB
C2703	VCEAGA1AW107M	J	100	10V	EL.	AB
C780	VCEAGA1EW108M	J	1000	25V	EL. (20LG60)	AD
⚠C781	VCKYPA2HB101K	J	100p (20LG60)	500V	Ceramic	AA

RESISTORS

RJ8	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ10	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ13	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ17	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ18	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ19	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ20	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ21	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ22	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ23	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ28	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ29	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ30	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ31	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ32	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ33	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ34	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ35	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ36	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ37	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ38	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ39	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ40	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
RJ41	VRD-MN2BE000J	J	0	1/8W	Carbon	AA
R101	VRD-MN2BE103J	J	10k	1/8W	Carbon	AA
R360	VRD-MN2BE103J	J	10k	1/8W	Carbon	AA
R2003	VRD-MN2BE103J	J	10k	1/8W	Carbon	AA
R102	VRD-RA2BE1R0J	J	1.0	1/8W	Carbon	AA
⚠R103	VRS-VV3DB151J	J	150	2W	Metal Oxide	AA
⚠R104	VRS-VV3DB153J	J	15k	3W	Metal Oxide	AA
R105	VRD-MN2BE823J	J	82k	1/8W	Carbon	AA
R2116	VRD-MN2BE823J	J	82k	1/8W	Carbon	AA
R106	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R107	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R108	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R409	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R2014	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R2015	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R2016	VRD-MN2BE471J	J	470	1/8W	Carbon	AA
R201	VRD-MN2BE151J	J	150	1/8W	Carbon	AA
R902	VRD-MN2BE151J	J	150	1/8W	Carbon	AA
R202	VRD-MN2BE122J	J	1.2k	1/8W	Carbon	AA
R203	VRD-MN2BE682J	J	6.8k	1/8W	Carbon	AA
R423	VRD-MN2BE682J	J	6.8k	1/8W	Carbon	AA
R462	VRD-MN2BE682J	J	6.8k	1/8W	Carbon	AA
R204	VRD-MN2BE270J	J	27	1/8W	Carbon	AA
R206	VRD-MN2BE222J	J	2.2k	1/8W	Carbon	AA
R441	VRD-MN2BE222J	J	2.2k	1/8W	Carbon	AA
R207	VRD-RA2BE121J	J	120	1/8W	Carbon	AA
R208	VRD-MN2BE681J	J	680	1/8W	Carbon	AA
R209	VRD-MN2BE331J	J	330	1/8W	Carbon	AA
R401	VRD-MN2BE331J	J	330	1/8W	Carbon	AA
R609	VRD-MN2BE331J	J	330	1/8W	Carbon	AA
R2017	VRD-MN2BE331J	J	330	1/8W	Carbon	AA
R303	VRD-MN2BE102J	J	1.0k	1/8W	Carbon	AA
R407	VRD-MN2BE102J	J	1.0k	1/8W	Carbon	AA
R408	VRD-MN2BE102J	J	1.0k	1/8W	Carbon	AA
R416	VRD-MN2BE102J	J	1.0k	1/8W	Carbon	AA
R501	VRD-MN2BE102J	J	1.0k	1/8W	Carbon	AA
⚠R307	VRS-VV3AB100J	J	10	1W	Metal Oxide	AA
⚠R791	VRS-VV3AB100J	J	10 (20LG30)	1W	Metal Oxide	AA
R308	VRD-RA2EE101J	J	100	1/4W	Carbon	AA
⚠R309	VRS-VV3LB820J	J	82	3.0W	Metal Oxide	AB
R310	VRD-RA2BE153J	J	15k (20LG30)	1/8W	Carbon	AA
⚠R652	VRD-RA2BE153J	J	15k	1/8W	Carbon	AA
R316	VRD-MN2BE562J	J	5.6k (20LG30)	1/8W	Carbon	AA
R459	VRD-MN2BE562J	J	5.6k	1/8W	Carbon	AA
R727	VRD-MN2BE562J	J	5.6k	1/8W	Carbon	AA
R2002	VRD-MN2BE562J	J	5.6k	1/8W	Carbon	AA
R2103	VRD-MN2BE562J	J	5.6k	1/8W	Carbon	AA
R2106	VRD-MN2BE562J	J	5.6k	1/8W	Carbon	AA
R318	VRD-MN2BE822J	J	8.2k	1/8W	Carbon	AA
R319	VRD-MN2BE472J	J	4.7k	1/8W	Carbon	AA
R419	VRD-MN2BE472J	J	4.7k	1/8W	Carbon	AA
R451	VRD-MN2BE472J	J	4.7k	1/8W	Carbon	AA
R502	VRD-MN2BE472J	J	4.7k	1/8W	Carbon	AA
R605	VRD-MN2BE472J	J	4.7k	1/8W	Carbon	AA
R752	VRD-MN2BE472J	J	4.7k (20LG30)	1/8W	Carbon	AA
R357	VRD-RA2BE333J	J	33k	1/8W	Carbon	AA
R402	VRD-MN2BE391J	J	390	1/8W	Carbon	AA
R604	VRD-MN2BE391J	J	390	1/8W	Carbon	AA
R404	VRD-MN2BE820J	J	82	1/8W	Carbon	AA
R406	VRD-MN2BE101J	J	100	1/8W	Carbon	AA
R505	VRD-MN2BE101J	J	100	1/8W	Carbon	AA
R2134	VRD-MN2BE101J	J	100	1/8W	Carbon	AA
R410	VRD-RA2BE103J	J	10k	1/8W	Carbon	AA
R2117	VRD-RA2BE103J	J	10k	1/8W	Carbon	AA
R2118	VRD-RA2BE103J	J	10k	1/8W	Carbon	AA
R2133	VRD-RA2BE103J	J	10k	1/8W	Carbon	AA
R411	VRD-MN2BE104J	J	100k	1/8W	Carbon	AA
R412	VRD-RA2BE331J	J	330	1/8W	Carbon	AA
R413	VRD-RA2BE470J	J	47	1/8W	Carbon	AA
R414	VRD-RA2BE470J	J	47	1/8W	Carbon	AA
R415	VRD-RA2BE470J	J	47	1/8W	Carbon	AA
R417	VRD-RA2BE182J	J	1.8k	1/8W	Carbon	AA
R425	VRD-RA2BE182J	J	1.8k	1/8W	Carbon	AA
R418	VRD-RA2BE122J	J	1.2k	1/8W	Carbon	AA
⚠R554	VRD-RA2BE122J	J	1.2k	1/8W	Carbon	AA
R2102	VRD-RA2BE122J	J	1.2k	1/8W	Carbon	AA
R424	VRD-MN2BE182J	J	1.8k	1/8W	Carbon	AA
R426	VRD-MN2BE182J	J	1.8k	1/8W	Carbon	AA
R440	VRD-MN2BE182J	J	1.8k	1/8W	Carbon	AA
R428	VRD-MN2BE105J	J	1.0M	1/8W	Carbon	AA
R2101	VRD-MN2BE105J	J	1.0M	1/8W	Carbon	AA
R438	VRD-RA2BE562J	J	5.6k	1/8W	Carbon	AA
R657	VRD-RA2BE562J	J	5.6k	1/8W	Carbon	AA
R439	VRD-MN2BE333J	J	33k	1/8W	Carbon	AA
R2005	VRD-MN2BE333J	J	33k	1/8W	Carbon	AA
R2701	VRD-MN2BE333J	J	33k	1/8W	Carbon	AA
⚠R452	VRC-MA2HG562K	J	5.6k	1/2W	Solid	AA
R453	VRD-MN2BE152J	J	1.5k	1/8W	Carbon	AA
⚠R454	VRS-SV2HC103J	J	10k	1/2W	Metal Oxide	AA
R455	VRD-RA2BE224J	J	220k	1/8W	Carbon	AA
R456	VRD-RA2BE224J	J	220k	1/8W	Carbon	AA
R362	VRD-RA2BE4R7J	J	4.7 (20LG60)	1/8W	Carbon	AA
R457	VRD-MN2BE392J	J	3.9k	1/8W	Carbon	AA
R765	VRD-MN2BE392J	J	3.9k	1/8W	Carbon	AA
R504	VRD-RA2BE471J	J	470	1/8W	Carbon	AA
R608	VRD-RA2BE471J	J	470	1/8W	Carbon	AA
R506	VRD-RA2BE473G	J	47k	1/8W	Carbon	AA
R507	VRD-RA2BE683G	J	68k	1/8W	Carbon	AA
R508	VRD-MN2BE473J	J	47k	1/8W	Carbon	AA
R768	VRD-MN2BE473J	J	47k	1/8W	Carbon	AA
R511	VRD-RM2HD681J	J	680	1/2W	Carbon	AA
R514	VRD-RM2HD1R2J	J	1.2	1/2W	Carbon	AA
⚠R515	VRN-VV3AB3R9J	J	3.9	1W	Metal Film	AA
R516	VRD-RA2BE823G	J	82k	1/8W	Carbon	AB
R517	VRD-MN2BE154J	J	150k	1/8W	Carbon	AA
R2135	VRD-MN2BE154J	J	150k	1/8W	Carbon	AA
R518	VRD-RA2BE822G	J	8.2k	1/8W	Carbon	AA
R522	VRD-MN2BE273J	J	27k	1/8W	Carbon	AA
R769	VRD-MN2BE273J	J	27k	1/8W	Carbon	AA
R2001	VRD-MN2BE273J	J	27k	1/8W	Carbon	AA
R603	VRD-RA2BE152J	J	1.5k	1/8W	Carbon	AA
R770	VRD-RA2BE152J	J	1.5k	1/8W	Carbon	AA
R803	VRD-RA2BE152J	J	1.5k	1/8W	Carbon	AA
R804	VRD-RA2BE152J	J	1.5k	1/8W	Carbon	AA
R805	VRD-RA2BE152J	J	1.5k	1/8W	Carbon	AA
R607	VRD-RM2HD560J	J	56	1/2W	Carbon	AA
R610	VRD-RM2HD472J	J	4.7k	1/2W	Carbon	AA
⚠R611	VRS-SV3LB222J	J	2.2k	3.0W	Metal Oxide	AB
⚠R612	VRN-VV3AB2R2J	J	0.22	1W	Metal Film	AA
⚠R613	VRS-VV3DB391J	J	390	2W	Metal Oxide	AA
⚠R791	VRS-SV2HC100J	J	10 (20LG60)	1/2W	Metal Oxide	AA
R310	VRD-RA2BE103J	J	10k (20LG60)	1/8W	Carbon	AA
R316	VRD-=RA2BE153J	J	15k (20LG60)	1/8W	Carbon	AA
R752	VRD-RA2BE222J	J	2.2k (20LG60)	1/8W	Carbon	AA
R304	VRD-RA2BE103J	J	10k (20LG60)	1/8W	Carbon	AA
R305	VRD-RA2BE103J	J	10k (20LG60)	1/8W	Carbon	AA
R317	VRD-RA2BE153J	J	15k (20LG60)	1/8W	Carbon	AA
R774	VRD-RA2BE822J	J	8.2k (20LG60)	1/8W	Carbon	AA
R361	VRD-RU2EE4R7J	J	4.7 (20LG60)	1/4W	Carbon	AA
R772	VRD-RA2BE103J	J	10k (20LG60)	1/8W	Carbon	AA
R2128	VRD-RA2BE102J	J	1.0k	1/8W	Carbon	AA
R2130	VRD-MN2BE153J	J	15k	1/8W	Carbon	AA
R2132	VRD-MN2BE683J	J	68k	1/8W	Carbon	AA
R2137	VRD-RU2EE331J	J	330	1/4W	Carbon	AA
R2704	VRS-VV3AB101J	J	100 (20LG60)	1W	Metal Oxide	AA
R2006	VRD-RA2BE223J	J	22k (20LG60)	1/8W	Carbon	AA
R2125	VRD-RA2BE103J	J	10k (20LG60)	1/8W	Carbon	AA
R3008	VRD-RA2BE332J	J	3.3k	1/8W	Carbon	AA
R3009	VRD-RA2BE101J	J	100	1/8W	Carbon	AA
R3010	VRD-RA2BE392J	J	39k	1/8W	Carbon	AA