



MOD: VPH-8320


1

| | | |
|-----|---------|-----|
| 514 | VOL + | |
| 510 | VOL - | |
| 508 | CH + | |
| 503 | CH - | |
| 513 | ASP. | |
| 509 | TV/CATV | |
| 501 | MEMORY | |
| 507 | TV/AV | |
| 508 | PICTURE | |
| 504 | PICTURE | + - |








CROQUIS DE UBICACION




2









20" CRT



LOCAL COMMANDS FOR IC701


| CH | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| MUTE | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| PICTURE + | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| PICTURE - | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| VOL + | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| VOL - | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |



MOD: VPH-8320

DEWO

6



LOCAL COMMANDS FOR IC701

- 1. MUTE
- 2. PICTURE
- 3. PICTURE +
- 4. PICTURE -
- 5. VOL +
- 6. VOL -
- 7. CH +
- 8. CH -
- 9. CH
- 10. CH -
- 11. POWER
- 12. SLEEP
- 13. TV/AV
- 14. TV/AV
- 15. TV/AV
- 16. TV/AV
- 17. TV/AV
- 18. TV/AV
- 19. TV/AV
- 20. TV/AV
- 21. TV/AV
- 22. TV/AV
- 23. TV/AV
- 24. TV/AV
- 25. TV/AV
- 26. TV/AV

NOTE:

- ALL CAPACITORS ARE IN UF UNLESS OTHERWISE NOTED
- ALL CAPACITORS ARE 50V UNLESS OTHERWISE NOTED
- CAPACITORS NOT SPECIFICALLY DESIGNATED ARE CERAMIC CAPACITOR.
- ELECTROLYTIC CAPACITOR
- BI-POLAR ELECTROLYTIC CAPACITOR
- TANTALUM CAPACITOR
- MYLAR CAPACITOR
- METALIZED POLYESTER
- POLYESTER FILM CAPACITOR
- POLYPROPYLENE CAPACITOR
- ALL RESISTORS ARE IN OHM 1/16 W UNLESS OTHERWISE NOTED.
- RESISTORS NOT SPECIFICALLY DESIGNATED ARE CARBON FILM RESISTORS.
- METAL OXIDE RESISTOR
- CEMENT RESISTOR
- FUSEBLE RESISTOR
- THERMISTOR
- DC VOLTAGE ARE MEASURED FROM POINTS INDICATED TO THE CIRCUIT GROUND WITH A DIGITAL MULTIMETER TEST.
- WAVEFORMS ARE TAKEN WITH SETTING CONTROLS TO A NORMAL CONDITIONS (COLOUR BAR PATTERN).
- THIS CIRCUIT DIAGRAM IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
- ON THE SCHEMATIC SHOULD BE REPLACED WITH EXACT MANUFACTURER RECOMMENDED PARTS.

