



LCD-TV

Chassis GBP32MUS
 GBP40MUS

Model LN32R81BD
 LN40R81BD

SERVICE Manual

LCD TV



Fashion Feature

- Digital-TV, RF, 3-HDMI, 2-Component, 2-A/V, 2-S-Video, USB2.0(WISELINK), D-SUB
- Brightness : 500cd/m²
- Contrast Ratio : 7000:1
- Response time : 8ms
- Dynamic contrast
- PIP(in HDMI1.2.3, Component1.2, PC Mode and Sub picture is available only in TV analog mode.)

Copyright

©2007 by Samsung Electronics Co., Ltd.

All rights reserved.

This manual may not, in whole or in part, be copied, photocopied, reproduced, translated, or converted to any electronic or machine readable form without prior written permission of Samsung Electronics Co., Ltd.

LN32R81BD/LN40R81BD Service Manual

First edition March 2007.

Printed in Korea.

Trademarks

Samsung is the registered trademark of Samsung Electronics Co., Ltd.

LN32R81BD/LN40R81BD and MacMaster Cable Adapter are trademarks of Samsung Electronics Co., Ltd.

Macintosh, Power Macintosh are trademarks of Apple Computer, Inc.

All other trademarks are the property of their respective owners.

Contents

1	Precautions	1-1
1-1	Safety Precautions	1-1
1-2	Servicing Precautions	1-2
1-3	Electrostatically Sensitive Devices (ESD) Precautions	1-2
1-4	Installation Precautions	1-3
2	Product specifications	2-1
2-1	Fashion Feature	2-1
2-2	Specifications	2-2
2-3	Option Specification	2-5
3	Alignments and Adjustments	3-1
3-1	General Alignment Instruction	3-1
3-2	Factory Mode Adjustments	3-2
3-3	White Balance - Calibration	3-9
3-4	White Ratio (Balance) Adjustment	3-10
3-5	Servicing Information	3-11
4	Troubleshooting	4-1
5	Exploded View and Parts List	5-1
5-1	LN32R81BD Exploded View	5-1
5-2	LN32R81BD Parts list	5-2
5-3	LN40R81BD Exploded View	5-3
5-4	LN40R81BD Parts list	5-4
6	Electrical Parts List	6-1
6-1	LN32R81BD Parts List	6-1
6-2	LN40R81B Parts List	6-26
7	Block Diagram	7-1
8	Wiring Diagram	8-1
8-1	Wiring Diagram	8-1

Contents

9	Schematic Diagrams	9-1
10	Operating Instructions and Installation	10-1
10-1	Front	10-1
10-2	Connection Panel	10-2
10-3	Remote Control	10-4
11	Disassembly and Reassembly	11-1
11-1	Disassembly	11-1
11-2	Reassembly	11-6
12	Schematic Diagram	12-1
12-1	Main PCB Diagram	12-1
13	Circuit Descriptions	13-1
13-1	Block description	13-1
14	Reference Information	14-1
14-1	Technical Terms	14-1
14-2	Pin Assignments	14-4
14-3	Timing Chart	14-6



- This Service Manual is a property of Samsung Electronics Co., Ltd.
Any unauthorized use of Manual can be punished under applicable International and/or domestic law.

Samsung Electronics Co.,Ltd.
416, Maetan-3Dong, Yeongtong-Gu, Suwon City,
Gyeonggi-Do, Korea, 443-742
Printed in Korea
P/N : BN82-00185A-00
URL : <http://itself.sec.samsung.co.kr/>