








SUNPLUS TECHNOLOGY			
Title			
DSP			
Size	Document Number		Rev
	8202D-16-HI-216-O-A		1.0
Date:	Tuesday, August 01, 2006	Sheet	2 of 6






	R165	R166	R156	R159	R148	R154	R225
040 OTP	NC	0	0	NC	NC	NC	0
080 ROM	NC	0	0	NC	0	NC	NC
FLASH	0	NC	NC	0	NC	0	NC










EliteMT M12L64164A-5T
54-Pin TSOPII(400mil x 875mil)







TV0	TV3	TV4	TV5
CVB	Y	Cb	Cr
CVB	Y (S-Video)	CVB	C (S-Video)
CVB	G	B	R



VIDEO DAC	R118	R169	R268	R269	R270	R16	R17	R24
Full Current	390	0	0	0	0	75	75	75
Half Current	680	NC	NC	NC	NC	150	150	150

RELEASE_SCART	DISPLAY_MODE
0	Not RELEASE
1	RELEASE

SCART_SIG	SIGNAL_MODE
0	0V (CVBS)
1	3V (RGB)

SCART_DISPLAY	DISPLAY_MODE
1	12V(9.5V--12V 4:3)
0	6V(5V--8V 16:9)

SUNPLUS TECHNOLOGY			
Title Video Buffer			
Size B	Document Number 8202D-16-HI-216-0-A		Rev 1.0
Date:	Tuesday, August 01, 2006	Sheet 5	of 6

