



1

JNTP-M-20254 IFH7190200 U

JF12104601 IF2104



TELEFUNKEN

MODELOS: 1360/1360T/1350K2
1390/1390T
1395/1395T
MP212N/MP212NT/21R391
CHASIS: 1KC2-20" y 21"

ESTA ZONA VARIA SEGUN MODELO.
VER HOJAS ADICIONALES.

5V IR RECEIVER
ASSY 95.4740
CCT 83-4320

SABA 95.4418
TFK 95.4418

LED PB ASSY 95.4426



COMPONENTS DESIGNATED BY THE SAFETY SYMBOL SHOULD, WHEN NECESSARY FOR REPAIR, ONLY BE REPLACED BY ORIGINAL PARTS PRODUCT AND PROOFED BY THE MANUFACTURER ONLY THEN CAN THE ORIGINAL OPERATIONAL SAFETY BE GUARANTEED.


DIODES NOT DESIGNATED ALL 1N4148

METALISED POLYPROPYLENE CAPACITOR

FERRITE BEAD

SOLO PARA
MODELOS CON
TRANSMISOR DE F.M.





TELEFUNKEN



PARA MODELOS: 1360/1360T/1350K2

1390/1390T

1395/1395T



MP212N/MP212NT/21R391

6



MODULO TRANSMISOR DE F.M.

(SOLO PARA MODELOS CON TRANSMISOR DE F.M.)-(T)







PROTECTION
DP04



NS I/P



V-240V

BUTTON	MAIN MENU	SOUND MENU	PICTURE MENU	PROGRAM
RED	SOUND	VOLUME	BRIGHTNESS	CH SELECT
GREEN	PICTURE	-	COLOUR	PR SETTING
YELLOW	PROGRAM	-	CONTRAST	FINE TUNE
CYAN	-	-	TINT	CH SEARCH
1 0	PROGRAM	-	-	CH. NO.
← + →	VOLUME	ANALOG FUNCTION	ANALOG FUNCTION	ANALOG FUNCTION
OMA	NORMALISE	-	-	-
DISPLAY ON/OFF	CH PR DISPLAY	-	-	-
SOUND STOP	SOUND STOP	-	-	-
STANDBY	STANDBY	-	-	-
EXTERNAL VIDEO	-	-	-	-













10








MODULO LINEAS DE RETARDO PAL

(SOLO PARA MODELO CON NORMAS
PAL-M/PALN/NTSC)

12



ES M
44063
K A G